



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/698,257	10/30/2003	William W. Cheng	03T004	2940

7590 08/07/2007

David T. Yang, Esq.  
Morrison & Foerster LLP  
Suite 3500  
555 est Fifth Street  
Los Angeles, CA 90013-1024

EXAMINER

ART UNIT PAPER NUMBER

DATE MAILED: 08/07/2007

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10698257	10/30/2003	CHENG ET AL.	03T004

David T. Yang, Esq.  
Morrison & Foerster LLP  
Suite 3500  
555 est Fifth Street  
Los Angeles, CA 90013-1024

**EXAMINER**

Kenneth B.. Wells

ART UNIT	PAPER
----------	-------

2816	20070805
------	----------

**DATE MAILED:**


**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

The appeal brief filed on 1/19/07 is defective in that it does not include the required appendix for related proceedings (i.e., appeals and/or interferences), or the required appendix for evidence. Each appendix is required to be submitted on a separate page, and if there are no related proceedings or evidence, a statement such as "none" should be clearly written on each separate appendix page.

Applicant is hereby given thirty (30) days from the mail date of this office action to correct the above-noted problem.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth B. Wells at (571)272-1757.

  
Kenneth B. Wells  
Primary Examiner